


440.26 | 440 - Metric combination wrenches





Standards:

NF ISO 691, NF ISO 7738, NF ISO 3318, NF ISO 1711-1, E74-306, ISO 691, ISO 7738, ISO 3318, ISO 1711-1, DIN ISO 691, DIN 1711-1, DIN 3113, ASME B107.100

Description:

- Standard wrench for all common applications.
- High mechanical performance combined with compact design complying with aeronautical standards.
- Ring head: Ring clearance (E dimension) designed for better access to serial-mounted or embedded screws.
- OGV® profile 12-point ring for powerful tightening while protecting the nut. Suffix H = 6 sided ring. - Ring head with 15° angle.
- Open end head: Open end with 15° angle. - Open end head-handle geometry optimized for increased accessibility.
- Metric dimensions: 4 to 41 mm.
- Satin chrome finish.



| =0 | 440.26 |
|--------------------|--------|
| A [mm] | 26.0 |
| Length L [mm] | 285.0 |
| Thickness E [mm] | 9.8 |
| Thickness E1 [mm] | 15.1 |
| Thickness E2 [mm] | 10.1 |
| Head Width B [mm] | 55.5 |
| Head Width B1 [mm] | 37.8 |
| Weight [Kg] | 0.345 |